


REFERENCE BOOKLET PADDLE DEPACKER 30m³ / hour.







MAVITEC RENDERING

Complete systems and equipment for rendering animal byproducts



MAVITEC ENVIRONMENTAL

Gasification systems: a new way of solving manure issues



MAVITEC GREEN ENERGY

Food waste recycling and depackaging solutions





PADDLE DEPACKER

Function:

Producing a clean organic product suitable for biogas installations by separating the organic material from the packaging.

Features Paddle Depacker:

- Heavy duty execution
- Simple and low maintenance design
- Compact size
- High capacity
- Variable screen sizes available
- Up to 99,5% clean organic material
- Quick (hydraulic) opening doors for easy cleaning
- Bolt free screen exchange
- Fixed shaft execution
- Stainless steel isolated splash shields for low noise operation

Paddle Depacker:	15m ³ - 30m ³ per hour *
Equals	12-20 ton per hour *

Installed power:

* depends on material composition

Input materials:

Kerbside waste, Hotel/Restaurant waste, Bread Products, Food production fails, Shop return waste, Canned Products,

45kW - 55kW

Drums, Various Containers, Baby foods, Household products,

Deodorants, Powdered milk, Potato's, Nearly all Fruits, Vegetables, Pumpkin, Shop Returns, Manure/Straw, Carrots, Corn, Coleslaw, Unpacked food, Tetra Pak Containers, Soft Packaging, Sachets, Confectionery, Pet foods, Processed meats, Tea, Beans, Cereals, Pharmaceuticals, Cosmetics, Sachets, Ice cream, Water Ice, Beverages (bottle), Beverages (can), Cigarettes, Insecticides, Sauces, Yogurt, Biscuits, Coffee, Soups, Coleslaw, Detergents, Pasta, Sugar, Potato Gratin, Plastic Bottles, Sandwiches, and many more.










PADDLE DEPACKER LINE - POLAND



PADDLE DEPACKER LINE (Wet & Dry) - ROMANIA




PADDLE DEPACKER LINE (Organic Conveyor) - FRANCE




PADDLE DEPACKER LINE - SPAIN




PADDLE DEPACKER LINE - SPAIN




PADDLE DEPACKER LINE - POLAND



PADDLE DEPACKER LINE - POLAND




PADDLE DEPACKER LINE (Piston Pump) - IRELAND



PADDLE DEPACKER (Wet & Dry) - FRANCE







PADDLE DEPACKER LINE - BELGIUM



PADDLE DEPACKER LINE - DENMARK



Physical impurities in dry matter



PADDLE DEPACKER LINE (On Pit) - BELGIUM




PADDLE DEPACKER LINE - UK








DOUBLE PADDLE DEPACKER LINE (Wet & Dry) - UK




DOUBLE PADDLE DEPACKER LINE - ITALY




PADDLE DEPACKER LINE (4x with Top Loaders) - NL



PADDLE DEPACKER LINE - IRELAND




PADDLE DEPACKER LINE (On Pit) - WALES



PADDLE DEPACKER LINE (SKID) - GERMANY



PADDLE DEPACKER LINE – SAUDI ARABIA











TEST / RENTAL UNITS

Test your own material


Want to try the Paddle Depacker or Paddle Depacker Model S on your own site? Our machines are also available for rental! We offer you this unique opportunity to see the machine running and test your own material on your own site. Within a few hours the test unit is up and running.






30m3 / hour Trailer Unit

5m3 / hour Skid Unit





STORAGE & HANDLING SOLUTIONS #1

Bins

Function:

Bins to handle: Food waste (wet, dry or both), Manure, Digestate, Straw Agricultural waste (whole or cut), Animal by products (from intestines to whole animals) and much more!

Bin Range

• $10 \text{ m}^3 / 15 \text{ m}^3 / 26 \text{ m}^3 / 30 \text{ m}^3 / 40 \text{ m}^3 / 50 \text{ m}^3 / 80 \text{ m}^3 / 100 \text{ m}^3 / 150 \text{ m}^3.$

Additional options are:

- Custom engineering for every purpose
- High quality
- Carbon, ST52 & Stainless-steel
- Above or sunk into the ground
- Hydraulically controlled bin lids
- Splash shields
- Air ventilation connection holes
- Draining systems
- Mixers
- Heated coils
- Loading cells
- 1 to 4 bottom conveyors in several sizes







BINS - REFERENCE #1



BINS - OTHER REFERENCES



STORAGE & HANDLING SOLUTIONS #3

Conveyors

Function:

Conveyors to transport many material types: Food waste (wet, dry or both), Manure, Digestate, Straw Agricultural waste (whole or cut), Animal byproducts (from intestines to whole animals) and much more.

Conveyor range:

Diameters: 225 / 300 / 400 / 500 / 600 + options Keyhole

Otter options:

- Shaft or shaftless
- Ware plates in different material types:
 - o Carbon
 - o Stainless
- Carbon, stainless or ST52 (all is possible)
- Easy opening covers
- Safety discharge boxes
- Different engine types possible
- Draining system / perforation
- Heated coil/shaft or trough













Galileistraat 32 1704 SE Heerhugowaard The Netherlands

+31 72 574 59 88

info@mavitec.com

www.mavitecgreenenergy.com

